




SHE Handling Equipment (M) Sdn Bhd



TOTAL SOURCE

MATERIAL HANDLING & WAREHOUSING EQUIPMENTS

SHE Fully Recondition Truck

Origin units are selected from Japan. Every unit inspected to identify problems before SHE Fully Reconditioned process.



Mechanical, Electronic & Electric components are removed from chassis item by item.



SHE Fully Reconditioned truck is QC inspected before delivery to assure excellent performance to customers. Full warranty is provided to assure SHE's commitment in quality & after sales service respond.



Experienced skill technician will installed & wiring the reconditioned components to new coated chassis item by item.



A samples of SHE Fully Reconditioned trucks.

ks, Your Next Option to New

Plain chassis is washed & cleaned. New coating will putting on chassis. Customers can request special colour during this process.



Components removed from chassis are trouble shooted to identify the condition. Electric components such as motors will replaced new set of carbon if life span less than 70% compare to original (see sample). The same concept will apply to all wear & tear parts such as contractor tips/points, sealing kits, hydraulic hoses & etc.



Components are cleaned & repaired with parts replaced will be reconditioned to provide min. 80% as new parts performance. Electronic Board will be tuned if necessary.



Battery is washed, inspected the voltage & specific gravity performance. Acid adjustment & capacity test will be apply on battery to confirmed the used battery's performance.



TOYOTA



NISSAN



SHINKO



NICHYU



SIT ON SERIES





TOYOTA



NISSAN



NISHIYU



SHINKO



KOMATSU



Linde



OTHERS



Engine Forklifts



TOYOTA



Linde



NISSAN



TCM



KOMATSU



mitsubishi



Attachments



• Roll clamp

• Side Shifter

• Bale clamp

• Rotating fork

• Fork damp



Wheels & Solid Tyres For All Brand

Spare Parts & Accessories

SHE is acting as total source center for forklifts' parts either electric model or engine mouted series. Spare parts provided are available in used, recondi tioned and new to suit customers' budget and application. Beside new genuine products, OEM parts is also provided upon customers' request. Forklifts' accessories required by ISO are easily found and installed at SHE Handling Equipment (M) Sdn. Bhd. Our concept is to provide right products at the right price on the right place and right person is our company policy in spare parts' business.

Accessories Parts



- Stop Lamps
- Lamp Lenses
- Head Lamps
- Signals
- Strobe Lights
- Blubs
- Back Up Alarms
- Horns
- Mirrors
- Jacks
- Pad Pedals
- Gas Springs
- Seats
- Belt Seats
- Brackets
- Mufflers
- And Other Accessories

Electronic Parts



- Control Units
- Printboards
- Joysticks
- Electronic Cards
- Contactors
- Contact Kits
- Battery Connectors
- Potantiometers
- Electric Fans
- Fuses
- And Other Electronic Parts



Battery

Superior quality & proven are the factor in selecting stored electrical energy solution for our customers on their electric vehicle with high energy and deep cycle requirements. Two type of cell standard are introduced, BS (British Standard) and DIN (Continental). A great quality combination of tubular spines of antimonial leads, Polyester gauntlet and porous polyethylene separators are used to build battery cells to produce more capacity for run times and battery life. SHE selected traction batteries will benefits you in high performance, greater reliability, increased productivity, less downtime and longer battery life. SHE also provide auto filling system and battery charging station upon customer's request.



Battery Caps



Cell Interlink



Battery Connectors




Battery Cell





Handling Equipment



Hydraulic Manual Stacker

- 1000kgs capacity, max lift up to 2500mm
- Operated by hydraulic foot pump together with handle




Standard Model

- Heavy duty pump
- Reinforced steering bar
- Greasening points on all linkages
- Operation manual & spare parts lists
- CE-compliance with machinery directive
- Nose wheels
- Maintenance free
- Spare parts deliverable
- Rubber, slipfree handgrip



Weighing Equipment

- Precision: 0.1%
- Batteries included
- IP 65 protection
- Gross, net, tare weighing



Semi Electric Stacker

- 1000kgs capacity, max lift up to 3000mm
- Complete with battery, chargers and stopper




Low Profile

- Lowest height : 51mm
- Max. lift height : 115mm



Drum Gripper





Recycle Pallet



**Eco-Friendly
Hardwood Fibre Pallet**



Full Range Of Pallet

**F-Series
(Lightweight & Standard)**

**E-Series
(European Style)**

**P-Series
(Super Height Rigid)**



**L-Series
(Super Lightweight)**

**H-Series
(High Rigid)**



Pallet Mesh




Pallet Tainer






Selective Pallet Racking



- Individual access to all pallet
- Easy beam adjustment
- Applicable to all range of MHE Truck
- Picking pallet allowed on floor
- Economical shelving can be add



Double-Deep Pallet Racking



- Storage density increased
- 50% immediate accessibility
- bottom pallet usually off-ground
- Sole combine with double deal equipment



Very Narrow Aisle Pallet Racking



- High density of storage quantity for selective system
- Use special equipment with high speed through puts activities
- Handling safe & damage free
- Wire guide or side roller series of rail
- Need super flat flooring
- Fire suppression and seismic need consideration



Drive-In Pallet Racking



- Drive in & Drive through, Drive in & Drive out
- Very dense storage with high pallet quantities
- Prevents product crushing, and offer damage free storage
- Single or double stacked pallet accessible on ground level
- Usually use conventional equipment



- T1650F
- T1650E
- T1650S
- T1650F-CS
- T1650E-CS
- T1650FH
- T1650FZ
- T1650FZ-PL







T Series Pallet Wrapping Machine

T1650F

Semi-auto Powered
Pre-stretch Pallet Wrapper

Machine Introduction

The T1650F is a Semi-auto stretch wrapping machine with a 200% powered per-stretch capability to minimize film consumption. With the power Per-stretch, the stretched film provides optimal holding force without crushing the load ensuring the products arriving in "as-shipped" condition for easy unloading. Thus providing the most effective way to ship loads at the lowest cost.



Technical Data

- Max Load size 1200mm(L) x 1200mm(W) x 1800mm(H)
- Turntable diameter 1650mm
- Turntable height 85mm
- Turntable weight capacity 2000kg
- Turntable speed 3~12 rpm
- Machine weight 700kg
- Voltage 220V 50Hz 1Phase
- Power 1.5kw
- Machine dimension 2745mm(L) x 1650mm(W) x 2280mm(H)
- Packing efficiency 20~40 loads / hour (based on load)

Controls

- OMRON PLC
- Photo-eye pallet height sensor
- 0~9 separated top, bottom and up / down wrap counters electors
- Photo-eye sensing delay
- Rein force wrap allow more wrap on same location
- Film tension control adjustment on the panel
- 3~12 rpm variable turntable speed by frequency changer
- Separated variable carriage up / down speed
- Cycle pause capability
- Separated start, reset and emergency stop buttons
- Manual carriage up / down switch
- Turntable jog button
- Easy to use push button panel

Turntable

- 1650mm diameter robust steel plate construction
- 85mm low profile turntable
- Position turntable alignment
- Soft start / soft stop feature
- Heavy duty chain drive

Other

- Front and rear fork pockets for shifting

Film Carriage

- Up to 200% powered pre-stretch to minimize film consumption
- Film carriage safety door switch
- Carriage door opens for effortless roll change and film threading
- Variable film delivery using separated AC drive motor
- Film dancer-bar with variable speed film output
- Heavy-duty dual chain carriage lifting system for safe and smooth lifting
- Standard auto-film cut off



Our Company

The company is established in year 1998 as Superior Handling Equipment (M) Sdn. Bhd. In year 2003, the company is renamed as SHE Handling Equipment (M) Sdn. Bhd. The execution of SHE Handling Equipment (M) Sdn. Bhd. is provide another option to Material Handling's users beside to the brand new units. The company objective is to build a long term business partnership with customers by providing innovative & cost effective solution, quality products and valued added services.

Today, SHE Handling Equipment (M) Sdn. Bhd. is recognized by his customers by expanding from selling single products to comprehensive range of products in Material Handling Equipment and warehousing equipment under flexible scheme including purchasing, fleet management, long term rentals and rental come with option to purchase.





Head Office:

NO. 5 & 7, Jalan Bertam 4,
Taman Daya, 81100 Johor Bahru,
Johor, Malaysia

TEL 607-351 8722 (Hunting Lines)

FAX 607-358 1723

E-MAIL she123@myjarling.net

Melaka Branch:

NO. 39, Jalan IMJ 5,
Taman Industri Malim Jaya,
75250 Melaka, Malaysia

TEL 606-335 7717

FAX 606-336 6717